

ALESSANDRO PICELLI, MD, PhD.

Short curriculum vitae et studiorum

(UPDATED IN SEPTEMBER 2015)

Alessandro Picelli was born in Rovigo, Italy, on 18<sup>th</sup> July 1978.

He is a research fellow of Physical and Rehabilitation Medicine at the Neuromotor and Cognitive Rehabilitation Research Center, Department of Neurological, Biomedical and Movement Sciences, University of Verona, Italy.

Dr. Picelli graduated from the University of Padua Medical School in Padua, Italy. He received his certification in Physical and Rehabilitation Medicine from the University of Verona, Italy. He obtained his PhD degree in Experimental Physical Medicine and Rehabilitation Applied to Human Locomotor System from the “Sapienza” University in Rome, Italy.

His principal research interests include rehabilitation and clinical research in the field of stroke and movement disorders and his research interest became focused on muscle spasticity and Parkinson’s disease. He is member of the Editorial Board of the European Journal of Physical and Rehabilitation Medicine as scientific secretary and has peer reviewed for a number of journals in the field of rehabilitation medicine, including: American Journal of Physical Medicine and Rehabilitation; BMC Neurology; BMJ Open; Clinical Rehabilitation; European Journal of Neurology; European Journal of Physical and Rehabilitation Medicine; Functional Neurology; Neurorehabilitation and Neural Repair; Journal of Neurological Sciences; Journal of Rehabilitation Medicine, Parkinson’s Disease.

## LIST OF PUBLICATIONS

1. Picelli A, Negrini S, Zenorini A, Iosa M, Paolucci S, Smania N. Do adolescents with idiopathic scoliosis have body schema disorders? A cross sectional study. *J Back Musculoskelet Rehabil.* 2015. In press.
2. Zanette G, Lauriola M, Picelli A, Tamburin S. Isolated musculocutaneous nerve injury in a kickboxer. *Muscle Nerve.* 2015. In press.
3. Gandolfi M, Munari D, Geroin C, Gajofatto A, Benedetti MD, Midiri A, Fontana C, Picelli A, Waldner A, Smania N. Sensory integration balance training in patients with multiple sclerosis: a randomized controlled trial. *Mult Scler.* 2015. In press.
4. Santamato A, Micello MF, Valeno G, Beatrice R, Cinone N, Baricich A, Picelli A, Panza F, Logroscino G, Fiore P, Ranieri M. Ultrasound-guided injection of botulinum toxin type a for piriformis muscle syndrome: brief review and case report. *Toxins.* 2015; 7: 3045-3056.
5. Picelli A, Chemello E, Castellazzi P, Roncari L, Waldner A, Saltuari L, Smania N. Combined effects of transcranial direct current stimulation (tDCS) and transcutaneous spinal direct current stimulation (tsDCS) on robot-assisted gait training in patients with chronic stroke: a pilot, double blind, randomized controlled trial. *Restor Neurol Neurosci.* 2015; 33: 357-368.
6. Varalta V, Picelli A, Fonte C, Amato S, Melotti C, Zatezalo V, Saltuari L, Smania N. Relationship between cognitive performance and motor dysfunction in patients with Parkinson's disease: a pilot cross-sectional study. *Biomed Res Int.* 2015; 2015: 365959.
7. Picelli A, Melotti C, Origano F, Neri R, Verzè E, Gandolfi M, Waldner A, Smania N. Robot-assisted gait training is not superior to balance training for improving postural instability in patients with mild to moderate Parkinson's disease: a single-blind randomised controlled trial. *Clin Rehabil.* 2015; 29: 339-347.

8. Santamato A, Micello MF, Panza F, Fortunato F, Picelli A, Smania N, Logroscino G, Fiore P, Ranieri M. Adhesive taping vs. daily manual muscle stretching and splinting after botulinum toxin type A injection for wrist and fingers spastic overactivity in stroke patients: a randomized clinical trial. *Clin Rehabil.* 2015; 29: 50-58.
9. Varalta V, Picelli A, Fonte C, Montemezzi G, La Marchina E, Smania N. Effects of contralesional robot-assisted hand training in patients with unilateral spatial neglect following stroke: a case series study. *J Neuroeng Rehabil.* 2014; 11: 160.
10. Picelli A, Tamburin S, Gajofatto F, Zanette G, Praitano M, Saltuari L, Corradini C, Smania N. Association between severe upper limb spasticity and brain lesion location in stroke patients. *Biomed Res Int.* 2014; 2014: 162754.
11. Franceschini M, Iocco M, Molteni F, Santamato A, Smania N, Italian Spasticity Study Group\*. Management of stroke patients submitted to botulinum toxin type A therapy: a Delphi survey of an Italian expert panel of specialist injectors. *Eur J Phys Rehabil Med.* 2014; 50: 525-532.
12. Picelli A, Tamburin S, Cavazza S, Scampoli C, Manca M, Cosma M, Berto G, Vallies G, Roncari L, Melotti C, Santilli V, Smania N. Relationship between ultrasonographic, electromyographic and clinical parameters in adult stroke patients with spastic equinus: an observational study. *Arch Phys Med Rehabil.* 2014; 95: 1564-1570.
13. Gandolfi M, Geroi C, Picelli A, Munari D, Waldner A, Tamburin S, Marchioretto F, Smania N. Robot-assisted vs sensory integration training in treating gait and balance dysfunctions in patients with multiple sclerosis: a randomised controlled trial. *Front Hum Neurosci.* 2014; 8: 318.
14. Picelli A, Roncari L, Baldessarelli S, Berto G, Lobba D, Santamato A, Fiore P, Smania N. Accuracy of botulinum toxin type A injection into the forearm muscles of chronic stroke patients with spastic flexed wrist and clenched fist: manual needle placement checked against ultrasonography. *J Rehabil Med.* 2014; 46: 1042-1045.

15. Lupi A, Bertagnoni G, Borghero A, Picelli A, Cuccurullo V, Zanco P. 18fdg-Pet/Ct in traumatic brain injury patients: the relative hypermetabolism of vermis cerebelli as a medium and long term predictor of outcome. *Curr Radiopharm.* 2014; 7: 57-62.
16. Picelli A, Tamburin S, Passuello M, Waldner A, Smania N. Robot-assisted arm training in patients with Parkinson's disease: a pilot study. *J Neuroeng Rehabil.* 2014; 11: 28.
17. Picelli A, Tamburin S, Dambruoso F, Midiri A, Girardi P, Santamato A, Fiore P, Smania N. Topical distribution of initial paresis of the limbs to predict clinically relevant spasticity after ischemic stroke: a retrospective cohort study. *Eur J Phys Rehabil Med.* 2014; 50: 489-494.
18. Picelli A, Dambruoso F, Bronzato M, Barausse M, Gandolfi M, Smania N. Efficacy of therapeutic ultrasound and transcutaneous electrical nerve stimulation compared with botulinum toxin type A in the treatment of spastic equinus in adults with chronic stroke: a pilot randomized controlled trial. *Top Stroke Rehabil.* 2014; 21: S8-S16.
19. Santamato A, Micello MF, Panza F, Fortunato F, Logroscino G, Picelli A, Manganotti P, Smania N, Fiore P, Ranieri M. Extracorporeal shock wave therapy for the treatment of poststroke plantar-flexor muscles spasticity: A prospective open-label study. *Top Stroke Rehabil.* 2014; 21: S17-S24.
20. Picelli A, Lobba D, Midiri A, Prandi P, Melotti C, Baldessarelli S, Smania N. Botulinum toxin injection into the forearm muscles for wrist and fingers spastic overactivity in adults with chronic stroke: a randomized controlled trial comparing three injection techniques. *Clin Rehabil.* 2014; 28: 232-242.
21. Geroin C, Mazzoleni S, Smania N, Bonaiuti D, Gasperini G, Munari D, Sale P, Gandolfi M, Waldner A, Spidalieri R, Bovolenta F, Picelli A, Posteraro F, Molteni F, Franceschini F. Systematic review of outcome measures of walking training using electromechanical and robotic devices in patients with stroke. *J Rehabil Med.* 2013; 45: 987-996.
22. Smania N, Colosimo C, Bentivoglio AR, Sandrini G, Picelli A. Use of botulinum toxin type a in the management of patients with neurological disorders: a national survey. *Funct Neurol.* 2013; 28: 253-258.

23. Smania N, Fonte C, Picelli A, Gandolfi M, Varalta V. Effect of eye patching in rehabilitation of hemispatial neglect. *Front Hum Neurosci.* 2013; 7: 527.
24. Picelli A, Smania N. RE: botulinum toxin type A injection into the gastrocnemius muscle for spastic equinus in adults with stroke. *Am J Phys Med Rehabil.* 2014; 93: 96-97.
25. Smania N, Picelli A, Geroin C, Munari D, Waldner A, Gandolfi M. Robot-assisted gait training in patients with parkinson's disease. *Neurodegen Dis Manage.* 2013; 3: 321-330.
26. Picelli A, Melotti C, Origano F, Neri R, Waldner A, Smania N. Robot-assisted gait training versus equal intensity treadmill training in patients with mild to moderate Parkinson's disease: a randomized controlled trial. *Parkinsonism Relat Disord.* 2013; 19: 605-610.
27. Ledro G, Turrina A, Picelli A, Stecco C, Principe F, Cacciatori C, Smania N. Brachial artery blood flow during submaximal isometric contraction of the biceps brachii and triceps brachii in humans: a preliminary observation. *J Bodyw Mov Ther.* 2013; 17: 165-168.
28. Picelli A, Tamburin S, Bonetti P, Fontana C, Barausse M, Dambruoso F, Gajofatto F, Santilli V, Smania N. Botulinum toxin type A injection into the gastrocnemius muscle for spastic equinus in adults with stroke: a randomized controlled trial comparing manual needle placement, electrical stimulation and ultrasonography-guided injection techniques. *Am J Phys Med Rehabil.* 2012; 91: 957-964.
29. Smania N, Berto G, La Marchina E, Melotti C, Midiri A, Roncari L, Zenorini A, Ianes P, Picelli A, Waldner A, Faccioli S, Gandolfi M. Rehabilitation of brachial plexus injuries in adults and children. *Eur J Phys Rehabil Med.* 2012; 48: 483-506.
30. Picelli A, Melotti C, Origano F, Waldner A, Gimigliano R, Smania N. Does robotic gait training improve balance in Parkinson's disease? A randomized controlled trial. *Parkinsonism Relat Disord.* 2012; 18: 990-993.

31. Picelli A, Bonetti P, Fontana C, Barausse M, Dambruoso F, Gajofatto F, Tamburin S, Girardi P, Gimigliano R, Smania N. Accuracy of botulinum toxin type A injection into the gastrocnemius muscle of adults with spastic equinus: manual needle placement and electrical stimulation guidance compared using ultrasonography. *J Rehabil Med.* 2012; 44: 450-452.
32. Smania N, Gandolfi M, Marconi V, Calanca A, Geroin C, Piazza S, Bonetti P, Fiorini P, Cosentino A, Capelli C, Conte D, Bendinelli M, Munari D, Ianes P, Fiaschi A, Picelli A. Applicability of a new robotic walking aid in a patient with cerebral palsy. Case report. *Eur J Phys Rehabil Med.* 2012; 48: 147-153.
33. Picelli A, Bonetti P, Fontana C, Barausse M, Dambruoso F, Gajofatto F, Girardi P, Manca M, Gimigliano R, Smania N. Is spastic muscle echo intensity related to the response to botulinum toxin type A in patients with stroke? A cohort study. *Arch Phys Med Rehabil.* 2012; 93: 1253-1258.
34. Picelli A, Melotti C, Origano F, Waldner A, Fiaschi A, Santilli V, Smania N. Robot-assisted gait training in patients with Parkinson disease: a randomized controlled trial. *Neurorehabil Neural Repair.* 2012; 26: 353-361.
35. Ianes P, Varalta V, Gandolfi M, Picelli A, Corno M, Di Matteo A, Fiaschi A, Smania N. Stimulating visual exploration of the neglected space in the early stage of stroke by hemifield eye-patching: a randomized controlled trial in patients with right brain damage. *Eur J Phys Rehabil Med.* 2012; 48: 189-196.
36. Picelli A, Ledro G, Turrina A, Stecco C, Santilli V, Smania N. Effects of myofascial technique in patients with subacute whiplash associated disorders: a pilot study. *Eur J Phys Rehabil Med.* 2011; 47: 561-568.
37. Picelli A, Smania N, Storti I, Munari D, Fontana C, Fiaschi A, Santilli V, Tamburin S. Immediate versus delayed electrical stimulation boosts botulinum toxin effect: A pilot study. *Mov Disord.* 2011; 26: 1784-1785.

38. Smania N, Gambarin M, Paolucci S, Girardi P, Bortolami M, Fiaschi A, Santilli V, Picelli A. Active ankle dorsiflexion and the Mingazzini manoeuvre: two clinical bedside tests related to prognosis of postural transferring, standing and walking ability in patients with stroke. *Eur J Phys Rehabil Med.* 2011; 47: 435-440.
39. Geroïn C, Picelli A, Munari D, Waldner A, Tomelleri C, Smania N. Combined transcranial direct current stimulation and robot-assisted gait training in patients with chronic stroke: a preliminary comparison. *Clin Rehabil.* 2011; 25: 537-548.
40. Smania N, Picelli A, Munari D, Geroïn C, Ianes P, Waldner A, Gandolfi M. Rehabilitation procedures in the management of spasticity. *Eur J Phys Rehabil Med.* 2010; 46: 423-438.
41. Uliano D, Falciglia G, Del Viscio C, Picelli A, Gandolfi M, Passarella A. Augmentative and alternative communication in adolescents with severe intellectual disability: a clinical experience. *Eur J Phys Rehabil Med.* 2010; 46: 147-152.
42. Picelli A, Camin M, Tinazzi M, Vangelista A, Cosentino A, Fiaschi A, Smania N. Three-dimensional motion analysis of the effects of auditory cueing on gait pattern in patients with Parkinson's disease: a preliminary investigation. *Neurol Sci.* 2010; 31: 423-430.
43. Smania N, Gambarin M, Tinazzi M, Picelli A, Fiaschi A, Moretto G, Bovi P, Paolucci S. Are indexes of arm recovery related to daily life autonomy in patients with stroke? *Eur J Phys Rehabil Med.* 2009; 45: 349-354.
44. Smania N, Picelli A, Gandolfi M, Fiaschi A, Tinazzi M. Rehabilitation of sensorimotor integration deficits in balance impairment of patients with stroke hemiparesis: a before/after pilot study. *Neurol Sci.* 2008; 29: 313-319.
45. Smania N, Picelli A, Romano M, Negrini S. Neurophysiological basis of rehabilitation of adolescent idiopathic scoliosis. *Disabil Rehabil.* 2008; 30: 763-771.